

Key References in Anticoagulation Therapy

Consensus Guidelines

Scheife RT, Vanscoy GJ editors. Consensus on contemporary issues with unfractionated heparin: Challenges in Variation and Responsiveness. *Pharmotherapy* 2004;24(part2):S 101-164.

Hirsh J, Guyatt G, Albers GW, et al. The Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. *Chest* 2004 126:172S-173S.

Hirsh J, Raschke R. Heparin and Low Molecular Weight Heparin: The Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. *Chest* 2004 126:188S-203S.

Schunemann HJ, Munger H, Brower S, et al. Methodology for guideline development for the Seventh American College of Chest Physicians Conference on Antithrombotic and Thrombolytic Therapy. The Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. *Chest* 2004 126:174S-178S.

Schunemann HJ, Cook D, Grimshaw J, et al. Antithrombotic and Thrombolytic Therapy: From Evidence to Application. The Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. *Chest* 2004 126:688S-696S.

Anticoagulation prior to Surgery

Dunn AS, Turpie AG. Perioperative management of patients receiving oral anticoagulants: a systematic review. *Arch Intern Med.* 2003 Apr 28;163(8):901-8.

Kearon C: Perioperative management of long-term anticoagulation. *Semin Thromb Hemost* 1998; 24 Suppl 1: 77-83.

Lanzat M, Danna AT, Jacobson DS: New protocols for perioperative management of podiatric patients taking oral anticoagulants. *J Foot Ankle Surg* 1994 Jan-Feb; 33(1): 16-20.

Madura JA, Rookstool M, Wease G: The management of patients on chronic Coumadin therapy undergoing subsequent surgical procedures. *Am Surg* 1994 Jul; 60(7): 542-6; discussion 546-7.

LMWH Safety

Hull RD, Pineo GF, Francis C, Bergqvist D, Fellenius C, Soderberg K, et al. Low-molecular-weight heparin prophylaxis using dalteparin in close proximity to surgery vs warfarin in hip arthroplasty patients: a double-blind, randomized comparison. The North American Fragmin Trial Investigators. *Arch Intern Med*. 2000;160:2199-207.

Levine M, et al. A comparison of low-molecular weight heparin administered primarily at home with unfractionated heparin administered in the hospital for proximal deep-vein thrombosis. *New Engl J Med*. 334:677-681, 1996

McKean, S. Enoxaparin (Lovenox ®)-Home DVT Treatment Program, Harvard Community Health Program, 1998.

Spandorfer JM, Lynch S, Weitz HH, Fertel S, Merli GJ. Use of enoxaparin for the chronically anticoagulated patient before and after procedures. *Am J Cardiol*. 1999;84:478-80, A10.

Weitz J. Low-Molecular-Weight Heparins. *N Engl J Med* 1997;337:688-698.

Anticoagulation for Prevention of DVT/PE

Geerts, W.H; et al. Prevention of Venous Thromboembolism: The Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. *Chest* 2004;126:338S-400S.

Goldhaber, S.; Turpie, A; Prevention of Venous Thromboembolism Among Hospitalized Medical Patients. *Circulation*. 2005;111: e1-e3.

Air Travel & DVT/PE Risk

Ansell JE. Air Travel and Venous Thromboembolism -- Is the Evidence In? *N Engl J Med*. 2001 Sep 13;345(11):828-9.

Lapostolle F, Surget V, Borron SW, Desmaizieres M, Sordelet D, Lapandry C, Cupa M, Adnet F. Severe pulmonary embolism associated with air travel. *N Engl J Med*. 2001 Sep 13;345(11):779-83

Martinelli, I.; et al: Risk of Venous Thromboembolism After Air Travel: Interaction With Thrombophilia and Oral Contraceptives *Arch Intern Med* 2003 163: 2771-2774.

Anticoagulation – Therapeutic Considerations

Ansell JE. Optimizing the efficacy and safety of oral anticoagulant therapy: high-quality dose management, anticoagulation clinics, and patient self-management. *Semin Vasc Med.* 2003 Aug;3(3):261-70.

Beyth RJ, Quinn LM, Landefeld S. Prospective evaluation of an index for predicting the risk of major bleeding in outpatients treated with warfarin. *Am J Med.* 1998;105:91-99.

Bussey, H; Managing Excessive Warfarin Anticoagulation. *Ann Intern Med.* 2001;135:460-462.

Crowther MA, Donovan D, Harrison L, McGinnis J, Ginsberg J. Low-dose oral vitamin K reliably reverses over-anticoagulation due to warfarin. *Thromb Haemost.* 1998;79:1116-8.

Cortelazzo S, et al. Thrombotic and hemorrhagic complications in patients with mechanical heart valve prosthesis attending an anticoagulation clinic. *Thromb Hemost.* 1993;69:316-320.

Forfar JC. Prediction of hemorrhage during long-term oral coumarin anticoagulation by excessive prothrombin ratio. *Am Heart J.* 1982;103:445-446.

Ginsberg JA, Crowther MA, White RH, Ortel TL: Anticoagulation therapy. *Hematology (Am Soc Hematol Educ Program).* 2001;;339-57.

Gitter MJ, Jaeger TM, Petterson TM, Gersh BJ, Silverstein MD. Bleeding and thromboembolism during anticoagulant therapy: A population based study in Rochester, Minnesota. *Mayo Clin Proc.* 1995;70:725-733.

Handin RL Anticoagulant, fibrinolytic, and antiplatelet therapy. In: Braunwald E et al. (eds) *Harrison's principles of internal medicine.* McGraw-Hill, NY, 758-761 Anticoag. Therapy 2001.

Hirsh J, Dalen JE, Anderson DR, Poller L, Bussey H, Ansell J, et al. Oral anticoagulants: mechanism of action, clinical effectiveness, and optimal therapeutic range. *Chest.* 1998;114:445S-469S.

Kelly JJ et al. Safety, Effectiveness, and Efficiency: A Web-Based Virtual Anticoagulation Clinic. *Joint Commission Journal on Quality and Safety,* December 2003, Volume 29, Number 12.

Landefeld S, Beyth RJ. Anticoagulant-related bleeding: Clinical epidemiology, prediction, and prevention. *Amer J Med.* 1993;95:315-328.

Launbjerg J, Egeblad H, Heaf J, Nielsen NH, Fugleholm AM, Ladefoged K. Bleeding complications to oral anticoagulant therapy: Multivariate analysis of 1010 treatment years in 551 outpatients. *J Intern Med.* 1991;229:351-355.

Lubetsky A, Yonath H, Olchovsky D, Loebstein R, Halkin H, Ezra D.: Comparison of oral vs intravenous phytonadione (vitamin K1) in patients with excessive anticoagulation: a prospective randomized controlled study. *Arch Intern Med.* 2003 Nov 10;163(20):2469-73.

Palareti G, Leali N, Coccheri S, et al. Bleeding complications of oral anticoagulant treatment: An inception-cohort, prospective collaborative study (ISCOAT). *Lancet*. 1996;348:423-428.

Pengo V, Banzato A, Garelli E, Zasso A, Biasiolo A. Reversal of excessive effect of regular anticoagulation: low oral dose of phytonadione (vitamin K1) compared with warfarin discontinuation. *Blood Coagul Fibrinolysis*. 1993;4:739-41.

Pettiti DB, Strom BL, Melmon KL. Duration of warfarin anticoagulation therapy and the probabilities of recurrent thromboembolism and hemorrhage. *Am J Med*. 1986;81:255-259.

Phan, TG, et al. Safety of Discontinuation of Anticoagulation in Patients With Intracranial Hemorrhage at High Thromboembolic Risk. *Arch Neurol*. 2000;57:1710-1713.

Routledge PA, Chapman PH, Davies DM, Rawlins MD. Pharmacokinetics and pharmacodynamics of warfarin at steady state. *Br J Clin Pharmacol*. 1979;8: 243-7.

Sixty Plus Reinfarction Study Research Group. Risks of longterm oral anticoagulant therapy in elderly patients after myocardial infarction. Second report of the Sixty Plus Reinfarction Study Research Group. *Lancet*. 1982;I:62-68.

van der Meer FJM, Rosendaal FR, vandenbroucke JP, Briet E. Bleeding complications in oral anticoagulant therapy: An analysis of risk factors. *Arch Intern Med*. 1993;153:1557-1562.

Wahl MJ. Myths of dental surgery in patients receiving anticoagulant therapy. *J Am Dent Assoc*. 2000;131:77-81.

Weibert RT, Le DT, Kayser SR, Rapaport SI. Correction of excessive anticoagulation with low-dose oral vitamin K1. *Ann Intern Med*. 1997;126:959-62.

Wells PS, Holbrook AM, Crowther NR, Hirsh J. Interactions of warfarin with drugs and food. *Ann Intern Med*. 1994;121:676-83.

White RH, McKittrick T, Hutchinson R, Twitchell J. Temporary discontinuation of warfarin therapy: changes in the international normalized ratio. *Ann Intern Med*. 1995;122:40-2.

White RH, McKittrick T, Takakuwa J, et al. Management and prognosis of life-threatening bleeding during warfarin therapy. *Arch Intern Med*. 1996;156:1197-1201.

Wilson D, Watson HG, and Crowther MA: Low-dose oral vitamin K therapy for the management of asymptomatic patients with elevated international normalized ratios: a brief review. *Can. Med. Assoc. J.*, Mar 2004; 170: 821 - 824.

Age-related risks

Gage BF, Fihn SD, White RH., Warfarin therapy for an octogenarian who has atrial fibrillation. *Ann Intern Med*. 2001 Mar 20;134(6):465-74.

Gurwitz J, Goldberg R, Holden A, Knapic N, Ansell J. Agerelated risks of long-term oral anticoagulant therapy. *Arch Intern Med*. 1988;148:1733-1736.

Issacs C, Paltiel O, Blake G, Beaudet M, Conochie L, Leclerc J. Age-associated risks of prophylactic anticoagulation in the setting of hip fracture. *Am J Med.* 1994; 96:487-491.

Joglekar M, Mohanaruban K, Bayer AJ, Pathy MSJ. Can old people on oral anticoagulants be safely managed as outpatients? *Postgrad Med J.* 1988;64:775-777.

Massicotte P. et al.; Home monitoring of warfarin therapy in children with a whole blood prothrombin time monitor *Journal of Pediatrics*, Vol. 127 (1995), No. 3, 389-394.

Michelson AD, Bovill E, Monagle P, Andrew M. Antithrombotic therapy in children. *Chest.* 1998;114:748S-769S.

Wickramasinghe LSP, Basu SK, Bansal SK. Long-term oral anticoagulant therapy in elderly patients. *Age Ageing.* 1988;17:388-396.

Clinic Settings

Bond CA, Raehl CL. Pharmacist-provided anticoagulation management in United States hospitals: death rates, length of stay, Medicare charges, bleeding complications, and transfusions. *Pharmacother.* 2004;24(8):953-963.

Bussey HI, Rospond RM, Quandt CM, Clark GM. The safety and effectiveness of long-term warfarin therapy in an anticoagulation clinic. *Pharmacotherapy.* 1989;9:214-219.

Charney R, Leddomado E, Rose DN, Fuster V. Anticoagulation clinics and the monitoring of anticoagulant therapy. *Int J Cardiol.* 1988;18:197-206.

Errichetti AM, Holden A, Ansell J. Management of oral anticoagulant therapy: Experience with an anticoagulation clinic. *Arch Intern Med.* 1984;144:1966-1968.

Garabedian-Ruffalo SM, Gray DR, Sax MJ, et al. Retrospective evaluation of a pharmacist-managed warfarin anticoagulation clinic. *Am J Hosp Pharm.* 1985;42:304-308.

McInnes GT, Helenglass G. The performance of clinics for outpatient control of anticoagulation. *J R Coll Physicians Lond.* 1987;21:42-45.

Petty GW, Lennihan L, Mohr JP, et al. Complications of longterm anticoagulation. *Ann Neurol.* 1988;23:570-574.